

HYUNDAI TV

MODELS: HQLED-5026 / 5526 / 6526 / 7526 / 8626

 @hyundai_co

 @hyundaihomeapp

 www.hyundaiiran.com

HYUNDAI

APPLIANCES

TV HQLED-5026

- پنل: A⁺
- فریم فوق باریک
- تقویت کننده گستره رنگ
- سیستم عامل اندروید 14
- Bluetooth
- Wifi
- حافظه داخلی: 16 گیگابایت
- حافظه موقت: 2 گیگابایت
- مرورگر اینترنت
- قابلیت تفکیک تصاویر دریافتی
- کیفیت تصویر QLED Ultra HD
- گیرنده دیجیتال داخلی
- 2 درگاه USB
- 3 درگاه HDMI



24
Months
GUARANTEE



@hyundai_co

@hyundaihomeapp

www.hyundaiiran.com

HYUNDAI

APPLIANCES

TV HQLED- 5526 / 6526

- پنل: A⁺
- فریم فوق باریک
- تقویت کننده گستره رنگ
- سیستم عامل اندروید 14
- Bluetooth
- Wifi
- IPS Panel
- حافظه داخلی: 16 گیگابایت
- حافظه موقت: 2 گیگابایت
- مرورگر اینترنت
- قابلیت تفکیک تصاویر دریافتی
- کیفیت تصویر QLED Ultra HD
- گیرنده دیجیتال داخلی
- 2 درگاه USB
- 3 درگاه HDMI



24
Months
GUARANTEE



@hyundai_co

@hyundaihomeapp

www.hyundaiiran.com

TV PRODUCT SPECIFICATION

HYUNDAI
APPLIANCES

TV PRODUCT SPECIFICATION



HLED-5026



HLED-5526



HLED-6526

Size	49.51" diagonal	54.64" diagonal	64.53" diagonal
Backlight	DLED direct Type	DLED direct Type	DLED direct Type
Maximum resolution	3840×2160	3840×2160	3840×2160
Contrast ratio (Typ)	3750:1	1300: 1	1300:1
Response time(Typ)	7.0ms	6ms	9ms
Display scale	16:9	16:09	16:09
Viewing angle(CR>10)	Typ (H:178° , V:178°)	Typ (H:178° , V:178°)	Typ (H:178° , V:178°)
Display Colors	1.07 B	1.07 B	1.07B
Color Gamut(NTSC)	≥NTSC 100%	≥NTSC 100%	≥NTSC 100%
Local dimming	nonsupport	Min:250cd/m2;Typ:300cd/m2	Nonsupport
Uniformity of Luminance	≥75%	nonsupport	≥70%
LCM Center Luminance of White	Min:300cd/m2; Typ:350cd/m2	≥75%	Min:330cd/m2, Typ:380cd/m2
2.Hardware Information			
ATV	PAL, SECAM	PAL, SECAM	PAL, SECAM
DTV	DVB-T/C	DVB-T/C	DVB-T/C
CPU Frame	ARM Cortex-A55/1.53GHz/Quad core	ARM Cortex-A55/1.53GHz/Quad core	ARM Cortex-A55/1.53GHz/Quad core
GPU	Mail-G52 MC1	Mail-G52 MC1	Mail-G52 MC1



TV PRODUCT SPECIFICATION



HLED-5026



HLED-5526



HLED-6526

RAM(DDR)	2GB	2GB	2GB
ROM(Flash)	16G	16G	16G
Audio power(Output)	8W+8W	8W+8W	8W+8W
WIFI(Type)	2T2R	2T2R	2T2R
Tuner type	IEC interface	IEC interface	IEC interface
USB 2.0	2	2	2
USB 3.0	–	–	–
VGA	–	–	–
AV In	mini	mini	mini
YPbPr In	–	–	–
CI	–	–	–
PC Audio	–	–	–
RJ-45	1	1	1
Earphone	–	–	–
Audio In	–	–	–
Audio Out	1	1	1



TV PRODUCT SPECIFICATION

HYUNDAI
APPLIANCES

TV PRODUCT SPECIFICATION



HLED-5026



HLED-5526



HLED-6526

Video Out	–	–	–
SPDIF Out	optical	optical	optical
Bluetooth(Version)	5. 1	5. 1	5. 1
HDMI	3	3	3
Others	–	–	–
3. Software Function			
Channel list	YES	YES	YES
Channel edit	YES	YES	YES
Picture freezing	NO	NO	NO
MTS/NICAM	MTS	MTS	MTS
Sleep time setting	YES	YES	YES
Teletext	YES	YES	YES
PVR	YES	YES	YES
V_CHIP/Parental Guidance	Parental Guidance	Parental Guidance	Parental Guidance
CC(Closed caption)	NO	NO	NO
AD(Audio description)	YES	YES	YES
CI+	NO	NO	NO
DOLBY	YES	YES	YES

TV PRODUCT SPECIFICATION

HYUNDAI
APPLIANCES

TV PRODUCT SPECIFICATION



HLED-5026



HLED-5526



HLED-6526

HDMI-ARC	HDMI-2	HDMI-2	HDMI-2
HDMI-CEC	YES	YES	YES
HDMI-MHL	NO	NO	NO
Operation system	Android 14	Android 14	Android 14
OTA	YES	YES	YES
Hotel mode	YES	YES	YES
EPG	YES	YES	YES
TTS(Text to Speech)	NO	NO	NO
4. Structure Information			
Base model name	BCDJ-50Prismatic fixed plastic base	BCDJ-65PrismaticFixedPlastic Blow MoldingBase	BCDJ-65 Prismatic Black plastic base
Size (without stand) L×W×H	1110x88x644mm	1226×89×720mm	1445×89×833mm
Size (with stand) L×W×H	1110x310x697mm	1226×350×764mm	1445×350×886mm
Size (carton) L×W×H	1218x140x742mm	1321×120×804mm	1588×152×938mm
Net Weight (without stand)	9. 2kg	10. 9kg	14. 8kg
Net Weight (with stand)	9. 3kg	11. 1kg	15. 0kg
Gross Weight (without stand)	12kg	14. 7kg	19. 6kg
Gross Weight (with stand)	12. 1kg	14. 9kg	19. 8kg
Size (Wall hanging)	300*200mm	300×300mm	300×300mm

TV PRODUCT SPECIFICATION

HYUNDAI
APPLIANCES

TV PRODUCT SPECIFICATION



HLED-5026



HLED-5526



HLED-6526

5.Power Management&Safety&Certificate			
Power input	100-240VAc	100-240VAc	100-240VAc
Fire rating	UL94-HB75	UL94-HB75	UL94-HB75
Standby power	≤0. 5W	≤0. 5W	≤0. 5W
Rated power	130W	160W	220W
Working condition	Temperature: 5℃~40℃ humidity: 20%~80% atmosphere: 86KPa~106KPa	Temperature: 5℃~40℃ humidity: 20%~80% atmosphere: 86KPa~106KPa	Temperature: 5℃~40℃ humidity: 20%~80% atmosphere: 86KPa~106KPa
Storage condition	Temperature: -20℃~55℃ humidity: 20%~80% atmosphere: 86kPa~106kPa	Temperature: -20℃~55℃ humidity: 20%~80% atmosphere: 86kPa~106kPa	Temperature: -20℃~55℃ humidity: 20%~80% atmosphere: 86kPa~106kPa
6.Accessory			
Stand(Optional)	1PCS	1PCS	1PCS
Remote control	2PCS	2PCS	2PCS
Instruction	0PCS	0PCS	0PCS
Warranty card(Optional)	0PCS	0PCS	0PCS
Battery(Optional)	4PCS	4PCS	4PCS

HYUNDAI


APPLIANCES

TV HQLED- 7526

- پنل: A⁺
- فریم فوق باریک
- تقویت کننده گستره رنگ
- سیستم عامل اندروید 14
- Bluetooth
- Wifi
- IPS Panel
- حافظه داخلی: 16 گیگابایت
- حافظه موقت: 2 گیگابایت
- مرورگر اینترنت
- قابلیت تفکیک تصاویر دریافتی
- کیفیت تصویر QLED Ultra HD
- گیرنده دیجیتال داخلی
- 2 درگاه USB
- 3 درگاه HDMI



24
Months
GUARANTEE



@hyundai_co

@hyundaihomeapp

www.hyundaiiran.com

HYUNDAI

APPLIANCES

TV HQLED- 8626

- پنل: A⁺
- فریم فوق باریک
- تقویت کننده گستره رنگ
- سیستم عامل اندروید 14
- Bluetooth
- Wifi
- IPS Panel
- حافظه داخلی: 16 گیگابایت
- حافظه موقت: 2 گیگابایت
- مرورگر اینترنت
- قابلیت تفکیک تصاویر دریافتی
- کیفیت تصویر QLED Ultra HD
- گیرنده دیجیتال داخلی
- 2 درگاه USB
- 3 درگاه HDMI



24
Months
GUARANTEE



@hyundai_co

@hyundaihomeapp

www.hyundaiiran.com



TV PRODUCT SPECIFICATION

HYUNDAI
APPLIANCES

TV PRODUCT SPECIFICATION		
		
	HLED-7526	HLED-8626
Size	75" diagonal	85.60" diagonal
Backlight	DLED direct Type	DLED direct Type
Maximum resolution	3840×2160	3840×2160
Contrast ratio (Typ)	1200:1	1200: 1
Response time(Typ)	8ms	8ms
Display scale	16:09	16:09
Viewing angle(CR>10)	Min(H:178° V:178°)	Typ(H:178° , V:178°)
Display Colors	1.07 B	1.07 B
Color Gamut(NTSC)	≥NTSC 85%	≥NTSC 80%
Local dimming	Min. :300cd/m2;Typ. 350cd/m2	not support
Uniformity of Luminance	nonsupport	≥70%
LCM Center Luminance of White	≥65%	Min. :350cd/m2;Typ. 400cd/m2
2. Hardware Information		
ATV	PAL, SECAM	PAL, SECAM
DTV	DVB-T/C	DVB-T/C
CPU Frame	ARM Cortex-A55/1.53GHz/Quad core	ARM Cortex-A55/1.53GHz/Quad core
GPU	Mali-G52 MC1	Mali-G52 MC1



TV PRODUCT SPECIFICATION

HYUNDAI
APPLINCES

TV PRODUCT SPECIFICATION		
	 HLED-7526	 HLED-8626
RAM(DDR)	2GB	2GB
ROM(Flash)	16G	16G
Audio power(Output)	8W+8W	8W+8W
WIFI(Type)	2T2R	2T2R
Tuner type	IEC interface	IEC interface
USB 2.0	2	2
USB 3.0	–	–
VGA	–	–
AV In	1 mini	1 mini
YPbPr In	–	–
CI	–	–
PC Audio	–	–
RJ-45	1	1
Earphone	–	–
Audio In	–	–
Audio Out	1	1

TV PRODUCT SPECIFICATION

HYUNDAI
APPLIANCES

TV PRODUCT SPECIFICATION



HLED-7526



HLED-8626

Video Out	–	–
SPDIF Out	optical	optical
Bluetooth(Version)	5.1	5.1
HDMI	3	3
Others	–	–
3. Software Function		
Channel list	YES	YES
Channel edit	YES	YES
Picture freezing	NO	NO
MTS/NICAM	MTS	MTS
Sleep time setting	YES	YES
Teletext	YES	YES
PVR	YES	YES
V_CHIP/Parental Guidance	Parental Guidance	Parental Guidance
CC(Closed caption)	NO	NO
AD(Audio description)	YES	YES
CI+	NO	NO
DOLBY	YES	YES

TV PRODUCT SPECIFICATION

HYUNDAI
APPLIANCES

TV PRODUCT SPECIFICATION



HLED-7526



HLED-8626

HDMI-ARC	HDMI-2	HDMI-2
HDMI-CEC	YES	YES
HDMI-MHL	NO	NO
Operation system	Android 14	Android 14
OTA	YES	YES
Hotel mode	YES	YES
EPG	YES	YES
TTS(Text to Speech)	NO	NO
4. Structure Information		
Base model name	BCD2-75 Gemini shaped metal stand	BCD2-86 Twin fixed metal base
Size (without stand) L×W×H	1674x75x960mm	1924×105×1102mm
Size (with stand) L×W×H	1674x353x1024mm	1924×441×1182mm
Size (carton) L×W×H	1824x187x1085mm	2080×220×1280mm
Net Weight (without stand)	28. 2kg	42. 5kg
Net Weight (with stand)	28. 7kg	43. 4kg
Gross Weight (without stand)	36. 6kg	55. 2kg
Gross Weight (with stand)	37. 1kg	56. 1kg
Size (Wall hanging)	600x300mm	600×400mm

TV PRODUCT SPECIFICATION

HYUNDAI
APPLIANCES

TV PRODUCT SPECIFICATION



HLED-7526



HLED-8626

5.Power Management&Safety&Certificate		
Power input	100~240VAc	100~240VAc
Fire rating	UL94-HB75	UL94-HB75
Standby power	≤0.5W	≤0.5W
Rated power	300W	380W
Working condition	Temperature: 5℃~40℃ humidity: 20%~80% atmosphere: 86KPa~106KPa	Temperature: 5℃~40℃ humidity: 20%~80% atmosphere: 86KPa~106KPa
Storage condition	Temperature: -20℃~55℃ humidity: 20%~80% atmosphere: 86kPa~106kPa	Temperature: -20℃~55℃ humidity: 20%~80% atmosphere: 86kPa~106kPa
6.Accessory		
Stand(Optional)	1PCS	1PCS
Remote control	2PCS	2PCS
Instruction	0PCS	0PCS
Warranty card(Optional)	0PCS	0PCS
Battery(Optional)	4PCS	4PCS

HYUNDAI TV

MODELS:

HQLED-5026
HQLED-5526
HQLED-6526
HQLED-7526
HQLED-8626

